

USPTO

5/15/2007 5:05:06 PM

PAGE

1/00

Fax Server

O:Auto-reply fax to 310 553 2675 COMPANY:

Auto-Reply Facsimile Transmission

RECEIVED
CENTRAL FAX CENTER

JUN 18 2007



TO:

Fax Sender at 310 553 2675

Fax Information

Date Received:

5/15/2007 5:02:02 PM [Eastern Daylight Time]

Total Pages:

6 (including cover page)

ADVISORY: This is an automatically generated return receipt confirmation of the facsimile transmission received by the Office. Please check to make sure that the number of pages listed as received in Total Pages above matches what was intended to be sent. Applicants are advised to retain this receipt in the unlikely event that proof of this facsimile transmission is necessary. Applicants are also advised to use the certificate of facsimile transmission procedures set forth in 37 CFR 1.8(a) and (b), 37 CFR 1.6(f). Trademark Applicants, also see the Trademark Manual of Examining Procedure (TMEP) section 306 et seq.

Received
Cover
Page
=====>

TRANSMITTAL FORM (To be filled for all facsimile transmissions)		Application Number: 10/811,551 Filing Date: 05/29/2007 First Named Inventor: Gabor Davidov Art Unit: 3852 Examiner Name: Joyce, William C. Attorney/Agent Number: 000170000	
Total Number of Pages in This Transmission: 6			
ENCLOSURES (Check all that apply)			
<input checked="" type="checkbox"/> Fee Transmittal Form <input checked="" type="checkbox"/> Fee Attached <input checked="" type="checkbox"/> Amendments/Reply <input type="checkbox"/> After Final <input type="checkbox"/> Affidavit/Declaration <input checked="" type="checkbox"/> Extension of Time Request <input type="checkbox"/> Express Abandonment Request <input type="checkbox"/> Information Disclosure Statement <input type="checkbox"/> Certified Copy of Priority Document(s) <input type="checkbox"/> Ready to Mailing Packet <input type="checkbox"/> Inspectable Application <input type="checkbox"/> Reply in Mailing Packet under 37 CFR 1.60 or 1.53	<input type="checkbox"/> Drawing(s) <input type="checkbox"/> Utilizing Related Papers <input type="checkbox"/> Petition <input type="checkbox"/> Petition to Convert to a Provisional Application <input type="checkbox"/> Power of Attorney, Revocation <input type="checkbox"/> Change of Correspondence Address <input type="checkbox"/> Terminal Disclaimer <input type="checkbox"/> Request for Rebrand <input type="checkbox"/> CO, Number of CO(s) <input type="checkbox"/> Landscape Table on CD	<input type="checkbox"/> After Action/Action Confirmation to TC <input type="checkbox"/> Appeal Communication to Board of Appeals and Interferences <input type="checkbox"/> Appeal Communication to TC <input type="checkbox"/> Appeal Notice, Brief, Reply Brief <input type="checkbox"/> Proprietary Information <input checked="" type="checkbox"/> Status Letter <input type="checkbox"/> Other Enclosure(s) (Specify below) <input type="checkbox"/> Credit Card Authorization Form	
SIGNATURE OF APPLICANT, ATTORNEY, OR AGENT			
FIRM Name: Benman, Brown & Williams Signature: <i>[Signature]</i> Printed name: William J. Benman Date: 05/15/2007			
CERTIFICATE OF TRANSMISSION/MAILING			
I hereby certify that this correspondence is being facsimile transmitted to the USPTO or deposited with the United States Postal Service with sufficient postage as first class mail in an envelope addressed to: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450 on the date shown below:			
Signature: <i>[Signature]</i> Typed or printed name: Sabrina Lorch Date: 05/15/2007			
<small>This submission of information is required by 37 CFR 1.6. This information is submitted to obtain a receipt for the public which is in the form of the USPTO as processed on application. Confidentiality is guaranteed by 37 U.S.C. 122 and 37 CFR 1.511 and 1.512. This information is disclosed to the public in the form of a patent, including abstracts, printing, and submitting the information to the USPTO. This will vary depending upon the individual case. Any comments on the content of this and future to complete the same under 37 CFR 1.511 and 1.512, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450, DO NOT SEND FILES OR COMPLETED FORMS TO THE APTF LSS. SEND TO: Correspondence for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.</small>			
<small>If you need assistance in completing the form, call 1-800-PTO-7776 and select option 3.</small>			
<small>PAGE 4/8 * RCVD AT 05/15/2007 7:52:37 PM [Eastern Daylight Time] * SVR:USPTO-EFXXRF-3/2 * DNIS:2738300 * CSID:310 553 2675 * DURATION (mm-ss):02:46</small>			

Transmission Report

Date/Time
Local ID
Local Name
Company Logo

5-15-07; 12:48PM
310 553 2675
BENMAN, BROWN and WI

This document was confirmed.
(reduced sample and details below)
Document Size Letter-S

Approved for use through 07/01/2008 Case 00000000
U.S. Patent & Trademark Office, U.S. DEPARTMENT OF COMMERCE
Internet Pat. Procedures & Rules, 37 CFR 1.01-1.09, 1.10-1.11, 1.12-1.13, 1.14-1.15, 1.16-1.17, 1.18-1.19, 1.20-1.21, 1.22-1.23, 1.24-1.25, 1.26-1.27, 1.28-1.29, 1.30-1.31, 1.32-1.33, 1.34-1.35, 1.36-1.37, 1.38-1.39, 1.40-1.41, 1.42-1.43, 1.44-1.45, 1.46-1.47, 1.48-1.49, 1.50-1.51, 1.52-1.53, 1.54-1.55, 1.56-1.57, 1.58-1.59, 1.60-1.61, 1.62-1.63, 1.64-1.65, 1.66-1.67, 1.68-1.69, 1.70-1.71, 1.72-1.73, 1.74-1.75, 1.76-1.77, 1.78-1.79, 1.80-1.81, 1.82-1.83, 1.84-1.85, 1.86-1.87, 1.88-1.89, 1.90-1.91, 1.92-1.93, 1.94-1.95, 1.96-1.97, 1.98-1.99, 2.00-2.01, 2.02-2.03, 2.04-2.05, 2.06-2.07, 2.08-2.09, 2.10-2.11, 2.12-2.13, 2.14-2.15, 2.16-2.17, 2.18-2.19, 2.20-2.21, 2.22-2.23, 2.24-2.25, 2.26-2.27, 2.28-2.29, 2.30-2.31, 2.32-2.33, 2.34-2.35, 2.36-2.37, 2.38-2.39, 2.40-2.41, 2.42-2.43, 2.44-2.45, 2.46-2.47, 2.48-2.49, 2.50-2.51, 2.52-2.53, 2.54-2.55, 2.56-2.57, 2.58-2.59, 2.60-2.61, 2.62-2.63, 2.64-2.65, 2.66-2.67, 2.68-2.69, 2.70-2.71, 2.72-2.73, 2.74-2.75, 2.76-2.77, 2.78-2.79, 2.80-2.81, 2.82-2.83, 2.84-2.85, 2.86-2.87, 2.88-2.89, 2.90-2.91, 2.92-2.93, 2.94-2.95, 2.96-2.97, 2.98-2.99, 3.00-3.01, 3.02-3.03, 3.04-3.05, 3.06-3.07, 3.08-3.09, 3.10-3.11, 3.12-3.13, 3.14-3.15, 3.16-3.17, 3.18-3.19, 3.20-3.21, 3.22-3.23, 3.24-3.25, 3.26-3.27, 3.28-3.29, 3.30-3.31, 3.32-3.33, 3.34-3.35, 3.36-3.37, 3.38-3.39, 3.40-3.41, 3.42-3.43, 3.44-3.45, 3.46-3.47, 3.48-3.49, 3.50-3.51, 3.52-3.53, 3.54-3.55, 3.56-3.57, 3.58-3.59, 3.60-3.61, 3.62-3.63, 3.64-3.65, 3.66-3.67, 3.68-3.69, 3.70-3.71, 3.72-3.73, 3.74-3.75, 3.76-3.77, 3.78-3.79, 3.80-3.81, 3.82-3.83, 3.84-3.85, 3.86-3.87, 3.88-3.89, 3.90-3.91, 3.92-3.93, 3.94-3.95, 3.96-3.97, 3.98-3.99, 4.00-4.01, 4.02-4.03, 4.04-4.05, 4.06-4.07, 4.08-4.09, 4.10-4.11, 4.12-4.13, 4.14-4.15, 4.16-4.17, 4.18-4.19, 4.20-4.21, 4.22-4.23, 4.24-4.25, 4.26-4.27, 4.28-4.29, 4.30-4.31, 4.32-4.33, 4.34-4.35, 4.36-4.37, 4.38-4.39, 4.40-4.41, 4.42-4.43, 4.44-4.45, 4.46-4.47, 4.48-4.49, 4.50-4.51, 4.52-4.53, 4.54-4.55, 4.56-4.57, 4.58-4.59, 4.60-4.61, 4.62-4.63, 4.64-4.65, 4.66-4.67, 4.68-4.69, 4.70-4.71, 4.72-4.73, 4.74-4.75, 4.76-4.77, 4.78-4.79, 4.80-4.81, 4.82-4.83, 4.84-4.85, 4.86-4.87, 4.88-4.89, 4.90-4.91, 4.92-4.93, 4.94-4.95, 4.96-4.97, 4.98-4.99, 5.00-5.01, 5.02-5.03, 5.04-5.05, 5.06-5.07, 5.08-5.09, 5.10-5.11, 5.12-5.13, 5.14-5.15, 5.16-5.17, 5.18-5.19, 5.20-5.21, 5.22-5.23, 5.24-5.25, 5.26-5.27, 5.28-5.29, 5.30-5.31, 5.32-5.33, 5.34-5.35, 5.36-5.37, 5.38-5.39, 5.40-5.41, 5.42-5.43, 5.44-5.45, 5.46-5.47, 5.48-5.49, 5.50-5.51, 5.52-5.53, 5.54-5.55, 5.56-5.57, 5.58-5.59, 5.60-5.61, 5.62-5.63, 5.64-5.65, 5.66-5.67, 5.68-5.69, 5.70-5.71, 5.72-5.73, 5.74-5.75, 5.76-5.77, 5.78-5.79, 5.80-5.81, 5.82-5.83, 5.84-5.85, 5.86-5.87, 5.88-5.89, 5.90-5.91, 5.92-5.93, 5.94-5.95, 5.96-5.97, 5.98-5.99, 6.00-6.01, 6.02-6.03, 6.04-6.05, 6.06-6.07, 6.08-6.09, 6.10-6.11, 6.12-6.13, 6.14-6.15, 6.16-6.17, 6.18-6.19, 6.20-6.21, 6.22-6.23, 6.24-6.25, 6.26-6.27, 6.28-6.29, 6.30-6.31, 6.32-6.33, 6.34-6.35, 6.36-6.37, 6.38-6.39, 6.40-6.41, 6.42-6.43, 6.44-6.45, 6.46-6.47, 6.48-6.49, 6.50-6.51, 6.52-6.53, 6.54-6.55, 6.56-6.57, 6.58-6.59, 6.60-6.61, 6.62-6.63, 6.64-6.65, 6.66-6.67, 6.68-6.69, 6.70-6.71, 6.72-6.73, 6.74-6.75, 6.76-6.77, 6.78-6.79, 6.80-6.81, 6.82-6.83, 6.84-6.85, 6.86-6.87, 6.88-6.89, 6.90-6.91, 6.92-6.93, 6.94-6.95, 6.96-6.97, 6.98-6.99, 7.00-7.01, 7.02-7.03, 7.04-7.05, 7.06-7.07, 7.08-7.09, 7.10-7.11, 7.12-7.13, 7.14-7.15, 7.16-7.17, 7.18-7.19, 7.20-7.21, 7.22-7.23, 7.24-7.25, 7.26-7.27, 7.28-7.29, 7.30-7.31, 7.32-7.33, 7.34-7.35, 7.36-7.37, 7.38-7.39, 7.40-7.41, 7.42-7.43, 7.44-7.45, 7.46-7.47, 7.48-7.49, 7.50-7.51, 7.52-7.53, 7.54-7.55, 7.56-7.57, 7.58-7.59, 7.60-7.61, 7.62-7.63, 7.64-7.65, 7.66-7.67, 7.68-7.69, 7.70-7.71, 7.72-7.73, 7.74-7.75, 7.76-7.77, 7.78-7.79, 7.80-7.81, 7.82-7.83, 7.84-7.85, 7.86-7.87, 7.88-7.89, 7.90-7.91, 7.92-7.93, 7.94-7.95, 7.96-7.97, 7.98-7.99, 8.00-8.01, 8.02-8.03, 8.04-8.05, 8.06-8.07, 8.08-8.09, 8.10-8.11, 8.12-8.13, 8.14-8.15, 8.16-8.17, 8.18-8.19, 8.20-8.21, 8.22-8.23, 8.24-8.25, 8.26-8.27, 8.28-8.29, 8.30-8.31, 8.32-8.33, 8.34-8.35, 8.36-8.37, 8.38-8.39, 8.40-8.41, 8.42-8.43, 8.44-8.45, 8.46-8.47, 8.48-8.49, 8.50-8.51, 8.52-8.53, 8.54-8.55, 8.56-8.57, 8.58-8.59, 8.60-8.61, 8.62-8.63, 8.64-8.65, 8.66-8.67, 8.68-8.69, 8.70-8.71, 8.72-8.73, 8.74-8.75, 8.76-8.77, 8.78-8.79, 8.80-8.81, 8.82-8.83, 8.84-8.85, 8.86-8.87, 8.88-8.89, 8.90-8.91, 8.92-8.93, 8.94-8.95, 8.96-8.97, 8.98-8.99, 9.00-9.01, 9.02-9.03, 9.04-9.05, 9.06-9.07, 9.08-9.09, 9.10-9.11, 9.12-9.13, 9.14-9.15, 9.16-9.17, 9.18-9.19, 9.20-9.21, 9.22-9.23, 9.24-9.25, 9.26-9.27, 9.28-9.29, 9.30-9.31, 9.32-9.33, 9.34-9.35, 9.36-9.37, 9.38-9.39, 9.40-9.41, 9.42-9.43, 9.44-9.45, 9.46-9.47, 9.48-9.49, 9.50-9.51, 9.52-9.53, 9.54-9.55, 9.56-9.57, 9.58-9.59, 9.60-9.61, 9.62-9.63, 9.64-9.65, 9.66-9.67, 9.68-9.69, 9.70-9.71, 9.72-9.73, 9.74-9.75, 9.76-9.77, 9.78-9.79, 9.80-9.81, 9.82-9.83, 9.84-9.85, 9.86-9.87, 9.88-9.89, 9.90-9.91, 9.92-9.93, 9.94-9.95, 9.96-9.97, 9.98-9.99, 10.00-10.01, 10.02-10.03, 10.04-10.05, 10.06-10.07, 10.08-10.09, 10.10-10.11, 10.12-10.13, 10.14-10.15, 10.16-10.17, 10.18-10.19, 10.20-10.21, 10.22-10.23, 10.24-10.25, 10.26-10.27, 10.28-10.29, 10.30-10.31, 10.32-10.33, 10.34-10.35, 10.36-10.37, 10.38-10.39, 10.40-10.41, 10.42-10.43, 10.44-10.45, 10.46-10.47, 10.48-10.49, 10.50-10.51, 10.52-10.53, 10.54-10.55, 10.56-10.57, 10.58-10.59, 10.60-10.61, 10.62-10.63, 10.64-10.65, 10.66-10.67, 10.68-10.69, 10.70-10.71, 10.72-10.73, 10.74-10.75, 10.76-10.77, 10.78-10.79, 10.80-10.81, 10.82-10.83, 10.84-10.85, 10.86-10.87, 10.88-10.89, 10.90-10.91, 10.92-10.93, 10.94-10.95, 10.96-10.97, 10.98-10.99, 11.00-11.01, 11.02-11.03, 11.04-11.05, 11.06-11.07, 11.08-11.09, 11.10-11.11, 11.12-11.13, 11.14-11.15, 11.16-11.17, 11.18-11.19, 11.20-11.21, 11.22-11.23, 11.24-11.25, 11.26-11.27, 11.28-11.29, 11.30-11.31, 11.32-11.33, 11.34-11.35, 11.36-11.37, 11.38-11.39, 11.40-11.41, 11.42-11.43, 11.44-11.45, 11.46-11.47, 11.48-11.49, 11.50-11.51, 11.52-11.53, 11.54-11.55, 11.56-11.57, 11.58-11.59, 11.60-11.61, 11.62-11.63, 11.64-11.65, 11.66-11.67, 11.68-11.69, 11.70-11.71, 11.72-11.73, 11.74-11.75, 11.76-11.77, 11.78-11.79, 11.80-11.81, 11.82-11.83, 11.84-11.85, 11.86-11.87, 11.88-11.89, 11.90-11.91, 11.92-11.93, 11.94-11.95, 11.96-11.97, 11.98-11.99, 12.00-12.01, 12.02-12.03, 12.04-12.05, 12.06-12.07, 12.08-12.09, 12.10-12.11, 12.12-12.13, 12.14-12.15, 12.16-12.17, 12.18-12.19, 12.20-12.21, 12.22-12.23, 12.24-12.25, 12.26-12.27, 12.28-12.29, 12.30-12.31, 12.32-12.33, 12.34-12.35, 12.36-12.37, 12.38-12.39, 12.40-12.41, 12.42-12.43, 12.44-12.45, 12.46-12.47, 12.48-12.49, 12.50-12.51, 12.52-12.53, 12.54-12.55, 12.56-12.57, 12.58-12.59, 12.60-12.61, 12.62-12.63, 12.64-12.65, 12.66-12.67, 12.68-12.69, 12.70-12.71, 12.72-12.73, 12.74-12.75, 12.76-12.77, 12.78-12.79, 12.80-12.81, 12.82-12.83, 12.84-12.85, 12.86-12.87, 12.88-12.89, 12.90-12.91, 12.92-12.93, 12.94-12.95, 12.96-12.97, 12.98-12.99, 13.00-13.01, 13.02-13.03, 13.04-13.05, 13.06-13.07, 13.08-13.09, 13.10-13.11, 13.12-13.13, 13.14-13.15, 13.16-13.17, 13.18-13.19, 13.20-13.21, 13.22-13.23, 13.24-13.25, 13.26-13.27, 13.28-13.29, 13.30-13.31, 13.32-13.33, 13.34-13.35, 13.36-13.37, 13.38-13.39, 13.40-13.41, 13.42-13.43, 13.44-13.45, 13.46-13.47, 13.48-13.49, 13.50-13.51, 13.52-13.53, 13.54-13.55, 13.56-13.57, 13.58-13.59, 13.60-13.61, 13.62-13.63, 13.64-13.65, 13.66-13.67, 13.68-13.69, 13.70-13.71, 13.72-13.73, 13.74-13.75, 13.76-13.77, 13.78-13.79, 13.80-13.81, 13.82-13.83, 13.84-13.85, 13.86-13.87, 13.88-13.89, 13.90-13.91, 13.92-13.93, 13.94-13.95, 13.96-13.97, 13.98-13.99, 14.00-14.01, 14.02-14.03, 14.04-14.05, 14.06-14.07, 14.08-14.09, 14.10-14.11, 14.12-14.13, 14.14-14.15, 14.16-14.17, 14.18-14.19, 14.20-14.21, 14.22-14.23, 14.24-14.25, 14.26-14.27, 14.28-14.29, 14.30-14.31, 14.32-14.33, 14.34-14.35, 14.36-14.37, 14.38-14.39, 14.40-14.41, 14.42-14.43, 14.44-14.45, 14.46-14.47, 14.48-14.49, 14.50-14.51, 14.52-14.53, 14.54-14.55, 14.56-14.57, 14.58-14.59, 14.60-14.61, 14.62-14.63, 14.64-14.65, 14.66-14.67, 14.68-14.69, 14.70-14.71, 14.72-14.73, 14.74-14.75, 14.76-14.77, 14.78-14.79, 14.80-14.81, 14.82-14.83, 14.84-14.85, 14.86-14.87, 14.88-14.89, 14.90-14.91, 14.92-14.93, 14.94-14.95, 14.96-14.97, 14.98-14.99, 15.00-15.01, 15.02-15.03, 15.04-15.05, 15.06-15.07, 15.08-15.09, 15.10-15.11, 15.12-15.13, 15.14-15.15, 15.16-15.17, 15.18-15.19, 15.20-15.21, 15.22-15.23, 15.24-15.25, 15.26-15.27, 15.28-15.29, 15.30-15.31, 15.32-15.33, 15.34-15.35, 15.36-15.37, 15.38-15.39, 15.40-15.41, 15.42-15.43, 15.44-15.45, 15.46-15.47, 15.48-15.49, 15.50-15.51, 15.52-15.53, 15.54-15.55, 15.56-15.57, 15.58-15.59, 15.60-15.61, 15.62-15.63, 15.64-15.65, 15.66-15.67, 15.68-15.69, 15.70-15.71, 15.72-15.73, 15.74-15.75, 15.76-15.77, 15.78-15.79, 15.80-15.81, 15.82-15.83, 15.84-15.85, 15.86-15.87, 15.88-15.89, 15.90-15.91, 15.92-15.93, 15.94-15.95, 15.96-15.97, 15.98-15.99, 16.00-16.01, 16.02-16.03, 16.04-16.05, 16.06-16.07, 16.08-16.09, 16.10-16.11, 16.12-16.13, 16.14-16.15, 16.16-16.17, 16.18-16.19, 16.20-16.21, 16.22-16.23, 16.24-16.25, 16.26-16.27, 16.28-16.29, 16.30-16.31, 16.32-16.33, 16.34-16.35, 16.36-16.37, 16.38-16.39, 16.40-16.41, 16.42-16.43, 16.44-16.45, 16.46-16.47, 16.48-16.49, 16.50-16.51, 16.52-16.53, 16.54-16.55, 16.56-16.57, 16.58-16.59, 16.60-16.61, 16.62-16.63, 16.64-16.65, 16.66-16.67, 16.68-16.69, 16.70-16.71, 16.72-16.73, 16.74-16.75, 16.76-16.77, 16.78-16.79, 16.80-16.81, 16.82-16.83, 16.84-16.85, 16.86-16.87, 16.88-16.89, 16.90-16.91, 16.92-16.93, 16.94-16.95, 16.96-16.97, 16.98-16.99, 17.00-17.01, 17.02-17.03, 17.04-17.05, 17.06-17.07, 17.08-17.09, 17.10-17.11, 17.12-17.13, 17.14-17.15, 17.16-17.17, 17.18-17.19, 17.20-17.21, 17.22-17.23, 17.24-17.25, 17.26-17.27, 17.28-17.29, 17.30-17.31, 17.32-17.33, 17.34-17.35, 17.36-17.37, 17.38-17.39, 17.40-17.41, 17.42-17.43, 17.44-17.45, 17.46-17.47, 17.48-17.49, 17.50-17.51, 17.52-17.53, 17.54-17.55, 17.56-17.57, 17.58-17.59, 17.60-17.61, 17.62-17.63, 17.64-17.65, 17.66-17.67, 17.68-17.69, 17.70-17.71, 17.72-17.73, 17.74-17.75, 17.76-17.77, 17.78-17.79, 17.80-17.81, 17.82-17.83, 17.84-17.85, 17.86-17.87, 17.88-17.89, 17.90-17.91, 17.92-17.93, 17.94-17.95, 17.96-17.97, 17.98-17.99, 18.00-18.01, 18.02-18.03, 18.04-18.05, 18.06-18.07, 18.08-18.09, 18.10-18.11, 18.12-18.13, 18.14-18.15, 18.16-18.17, 18.18-18.19, 18.20-18.21, 18.22-18.23, 18.24-18.25, 18.26-18.27, 18.28-18.29, 18.30-18.31, 18.32-18.33, 18.34-18.35, 18.36-18.37, 18.38-18.39, 18.40-18.41, 18.42-18.43, 18.44-18.45, 18.46-18.47, 18.48-18.49, 18.50-18.51, 18.52-18.53, 18.54-18.55, 18.56-18.57, 18.58-18.59, 18.60-18.61, 18.62-18.63, 18.64-18.65, 18.66-18.67, 18.68-18.69, 18.70-18.71, 18.72-18.73, 18.74-18.75, 18.76-18.77, 18.78-18.79, 18.80-18.81, 18.82-18.83, 18.84-18.85, 18.86-18.87, 18.88-18.89, 18.90-18.91, 18.92-18.93, 18.94-18.95, 18.96-18.97, 18.98-18.99, 19.00-19.01, 19.02-19.03, 19.04-19.05, 19.06-19.07, 19.08-19.09, 19.10-19.11, 19.12-19.13, 19.14-19.15, 19.16-19.17, 19.18-19.19, 19.20-19.21, 19.22-19.23, 19.24-19.25, 19.26-19.27, 19.28-19.29, 19.30-19.31, 19.32-19.33, 19.34-19.35, 19.36-19.37, 19.38-19.39, 19.40-19.41, 19.42-19.43, 19.44-19.45, 19.46-19.47, 19.48-19.49, 19.50-19.51, 19.52-19.53, 19.54-19.55, 19.56-19.57, 19.58-19.59, 19.60-19.61, 19.62-19.63, 19.64-19.65, 19.66-19.67, 19.68-19.69, 19.70-19.71, 19.72-19.73, 19.74-19.75, 19.76-19.77, 19.78-19.79, 19.80-19.81, 19.82-19.83, 19.84-19.85, 19.86-19.87, 19.88-19.89, 19.90-19.91, 19.92-19.93, 19.94-19.95, 19.96-19.97, 19.98-19.99, 20.00-20.01, 20.02-20.03, 20.04-20.05, 20.06-20.07, 20.08-20.09, 20.10-20.11, 20.12-20.13, 20.14-20.15, 20.16-20.17, 20.18-20.19, 20.20-20.21, 20.22-20.23, 20.24-20.25, 20.26-20.27, 20.28-20.29, 20.30-20.31, 20.32-20.33, 20.34-20.35, 20.36-20.37, 20.38-20.39, 20.40-20.41, 20.42-20.43, 20.44-20.45, 20.46-20.47, 20.48-20.49, 20.50-20.51, 20.52-20.53, 20.54-20.55, 20.56-20.57, 20.58-20.59, 20.60-20.61, 20.62-20.63, 20.64-20.65, 20.66-20.67, 20.68-20.69, 20.70-20.71, 20.72-20.73, 20.74-20.75, 20.76-20.77, 20.78-20.79, 20.80-20.81,